# Waters™

응용 자료

## Anesthetics

Waters Corporation



This is an Application Brief and does not contain a detailed Experimental section.

#### Abstract

This application brief demonstrates analysis of anesthetics.

### Introduction

The compounds used in this study are -

Compounds Sample Concentration

Lidocaine 0.04 mg/mL

Prednisolone 0.01 mg/mL

Naproxen 0.003 mg/mL


Amitriptyline 0.01 mg/mL

Ibuprofen 0.04 mg/mL

Prednisolone

Lidocaine

Naproxen



Amitriptyline

Ibuprofen

## Experimental

#### Conditions

Column: Xterra MS  $C_{18}$  4.6 x 20 mm, 2.5  $\mu m$ 

Part number: 186001889

Mobile phase A:  $H_2O$ 

Mobile phase B: ACN

Mobile phase C: 100 mM CH<sub>3</sub>COONH<sub>4</sub>, pH 5.0

Flow rate: 3.0 mL/min

Injection volume: 20  $\mu$ L

Sample concentration: As indicated

Temperature: Ambient


Detection: UV @ 238 nm

Instrument: Alliance 2695, 2996 PDA

#### Gradient

Time (min)	Profile		
	%A	%B	%C
0.0	85	5	10
4.0	20	70	10

### Results and Discussion



### Featured Products

Alliance HPLC System <a href="https://www.waters.com/534293">https://www.waters.com/534293</a>

WA20738.009, June 2002

© 2021 Waters Corporation. All Rights Reserved.