## Waters™

Application Note

## Doxepin

Waters Corporation




This is an Application Brief and does not contain a detailed Experimental section.

#### Abstract

This application brief demonstrates analysis of doxepin.

### Introduction

The compound analyzed in this study is doxepin.




# Doxepin

Experimental

Conditions

Xterra RP<sub>18</sub> 4.6 x 150 mm, 5  $\mu$ m Column: Part number: 186000492 Mobile phase: pH 3.0: H<sub>2</sub>O/ACN/100 mM NH<sub>4</sub>COOH, pH 3.0 40:50:10 pH 7.0: H<sub>2</sub>O/ACN/100 mM NH<sub>4</sub>HCO<sub>3</sub>, pH 7.0 50:40:10 pH 10.0  $H_2O/ACN/100$  mM  $NH_4HCO_3$ , pH 10.0 20:70:10 Flow rate: 1.0 mL/min Injection volume:  $5 \mu L$  of 250  $\mu g/mL$ Temperature: 30 °C Detection: UV @ 260 nm Instrument: Alliance 2695, 2996 PDA Mobile Phase pH **USP** Tailing 3.0 1.25 7.0 1.36 10.0 1.17

#### Results and Discussion



### Featured Products

Alliance HPLC System <a href="https://www.waters.com/534293">https://www.waters.com/534293</a>

WA20738.044, June 2002

© 2021 Waters Corporation. All Rights Reserved.