# Waters™

### アプリケーションノート

# Drugs of Abuse - LC/UV

**Waters Corporation** 



For forensic toxicology use only.

This is an Application Brief and does not contain a detailed Experimental section.

#### **Abstract**

This application brief demonstrates analysis of drugs of abuse - LC/UV.

### Introduction

The compounds used in this study are –

Compounds	USP Tailing
3,4-Methylenedioxyamphetamine (MDA)	1.08
3,4-Methylenedioxymethamphetamine (MDMA)	1.32
Alprazolam	1.18
Flunitrazepam	1.15
Desmethyidiazepam	1.14
Diazepam	1.13

3,4-Methylenedioxymethamphetamine (MDMA)

Diazepam

Alprazolam

3,4-Methylenedioxyamphetamine (MDA)

Flunitrazepam




Desmethyidiazepam

## Experimental

#### **Conditions**

Xterra RP  $_{18}$  3.0 x 100 mm, 3.5  $\mu m$ Column: Part number: 186000420 Mobile phase A: 5 mM NH<sub>4</sub>HCO<sub>3</sub>, pH 9.6 Mobile phase B: ACN Flow rate: 0.6 mL/min Isocratic mobile phase composition: 70% A; 30% B Injection volume:  $10 \, \mu L$ Sample concentration: 10 ng/μL Temperature: 40 °C UV @ 210 nm Detection: Instrument: Alliance 2690, 2996 PDA

### Results and Discussion



## **Featured Products**

Alliance HPLC System <a href="https://www.waters.com/534293">https://www.waters.com/534293</a>

WA20738.046, June 2002

© 2021 Waters Corporation. All Rights Reserved.