Waters™



Prednisolone

Waters Corporation



This is an Application Brief and does not contain a detailed Experimental section.

Abstract

This application brief highlights the analysis of prednisolone using XTerra ${\rm RP}_{\rm 18}$ columns.

Introduction

Prednisolone is studied in this application brief.

Prednisolone


Experimental

Conditions

| Column: | XTerra RP ₁₈ 4.6 x 150 mm, 5 μ m (p/n: 186000492) |
|-------------------|--|
| Mobile phase: | H ₂ O/ACN/100 mM NH ₄ COOH, pH 3.0, 35: 55: 10 |
| | H ₂ O/ACN/100 mM NH ₄ HCO ₃ , pH 7.0, 35: 55: 10 |
| | H ₂ O/ACN/100 mM NH ₄ HCO ₃ , pH 10.0, 58: 32: 10 |
| Flow rate: | 1.0 mL/min |
| Injection volume: | 5 μL of 250 μg/mL |
| Temperature: | 30°C |
| Detection: | UV @ 270 nm |
| Instrument: | Alliance 2695, 2996 PDA |

| Mobile phase pH | USP Tailing | |
|-----------------|-------------|--|
| 3.0 | 1.19 | |
| 7.0 | 1.21 | |
| 10.0 | 1.12 | |

Results and Discussion



Featured Products

| | Alliance | HPLC | <https: <="" th=""><th>/www.waters.com/</th><th>/514248></th></https:> | /www.waters.com/ | /514248> |
|--|----------|-------------|---|------------------|----------|
|--|----------|-------------|---|------------------|----------|

WA20738.090, June 2002

© 2021 Waters Corporation. All Rights Reserved.