

Note d'application

Sulfamethoxazole and Trimethoprim in Serum

Waters Corporation



This is an Application Brief and does not contain a detailed Experimental section.


Abstract

This application brief highlights the analysis of Sulfamethoxazole and Trimethoprim in serum using Symmetry Columns.


Introduction

Compounds used in this study are:


1. Sulfamerazine (I.S.)
2. Trimethoprim
3. Sulfamethoxazole



1. Sulfamerazine (I.S.)



2. Trimethoprim



3. Sulfamethoxazole

Experimental

HPLC Method

Column:	Symmetry C ₁₈ , 3.9 x 150 mm, 5 μm (p/n:WAT046980)
Guard column:	Sentry guard column, 3.9 x 20 mm, 5 μm
Mobile phase:	25 mM ammonium acetate, pH 5/methanol 82:18 (v/v)
Flow rate:	1.0 mL/min

Injection volume:

20 μ L of reconstituted porcine serum extract


Detection:

UV @ 290 nm


Oasis[®] HLB Extraction Method

Oasis[®] HLB 1 cc/30 mg Extraction Cartridge

Part Number WAT094225



Results and Discussion



Compound	Concentration µg/mL	% Recovery	%RSD (n=6)
Sulfamethoxazole	1.20	90.4%	1.3%
	0.240	95.4%	3.4%
Trimethoprim	1.50	96.7%	1.1%
	0.300	99.3%	3.2%

Featured Products

WA31763.159, June 2003

© 2021 Waters Corporation. All Rights Reserved.