## Waters™

Note d'application

### Vitamins- Fat-Soluble

Waters Corporation



This is an Application Brief and does not contain a detailed Experimental section.

#### Abstract

This application brief demonstrates analysis of fat soluble vitamins.

#### Introduction

The compounds used in this study are -

Compounds	USP Tailing Factors
Trans-Retinol (Vitamin A)	1.33
Cholecalciferol (Vitamin D3)	1.2
Alpha-Tocopherol (Vitamin E)	1.16

Vo. Uracil

# 1. Trans-Retinol (Vitamin A)

### 2. Cholecalciferol (Vitamin D3)

### 3. Alpha-Tocopherol (Vitamin E)

#### **HPLC** Method

Column: Symmetry  $C_8$ , 3.9 x 150 mm, 5  $\mu m$ 

Guard Column: Sentry Guard Column 3.9 x 20mm, 5  $\mu$ m

Part numbers: Column - WAT046970, Guard - WAT054250


Mobile phase: Methanol/acetonitrile/water 45:45:10

Flow rate: 1.0 mL/min

Injection volume: 10  $\mu$ L of 25  $\mu$ g/mL sample

Detection: UV @ 280 nm

#### Results and Discussion



#### Featured Products

WA31763.179, June 2003

© 2021 Waters Corporation. All Rights Reserved.