Waters™

Note d'application

Lifetime of Symmetry 3.5 µm Column: 10,000 Injections of Sulfa Drugs

Waters	Corno	ration
vvalcis	COIPC	ланон

This is an Application Brief and does not contain a detailed Experimental section.

Abstract

This application brief demonstrates the analysis of sulfa drugs.

Introduction

The compounds analyzed in this study are:

- 1. Sulfanilamide
- 2. Sulfadiazine
- 3. Sulfathiazole
- 4. Sulfamerazine
- 5. Sulfamethazine


6. Succinylsulfathiazole

1. Sulfanilamide

H₃C NH₂

4. Sulfamerazine

2. Sulfadiazine



5. Sulfamethazine

3. Sulfathiazole

6. Succinylsulfathiazole

Experimental

HPLC Method

Column:

Symmetry 3.5 μ m C_{18} , 4.6 x 100 mm

Guard Column: Symmetry Guard column, 3.9 x 20 mm, 5 µm

Part numbers: Column - WAT066220, Guard - WAT054225

Mobile phase: Water/methanol/glacial acetic acid 79:20:1


Flow rate: 1.5 mL/min

Injection volume: $10 \mu L$ of mixture of six sulfa drugs at 10 to 39

μg/mL

Detection: UV @ 254 nm

Results and Discussion



Featured Products	
WA31763.96, June 2003	
© 2022 Waters Corporation. All Rights Reserved.	