
# Waters™

アプリケーションノート

# Ranitidine in Rat Plasma (H<sub>2</sub> Blocker)

**Waters Corporation** 



This is an Application Brief and does not contain a detailed Experimental section.

### **Abstract**

This application brief demonstrates analysis of ranitidine in rat plasma.

## Introduction

The compound analyzed in this study is ranitidine.

## **RANITIDINE**

MS ESI+

# Experimental

#### **HPLC** Method

Detection:

Column:	Xterra MS C <sub>18</sub> 2.1 x 30 mm, 3.5 μm	
Part number:	186000398	
Mobile phase A:	100 mM NH <sub>4</sub> COOH	
Mobile phase B:	ACN	
Isocratic mobile phase composition:	30% A; 70% B	
Flow rate:	0.2 mL/min	
Injection volume:	15 μL	

Instrument:	Alliance 2790, Micromas Quattro Ultima
lon source:	ESI <sup>+</sup>
Source temperature:	150 °C
Gas cell:	1.5e <sup>-3</sup> mbar, 20eV
Desolvation temperature:	350 °C
Cone gas flow:	150 L/hr
Drying gas flow:	600 L/hr
Cone voltage:	20V

### OASIS® MCX EXTRACTION METHOD

Oasis® MCX Extraction Plate, 10 mg/96-well Part Number 186000259

#### **CENTRIFUGE:**

25 mL of EDTA rat plasma at 10 000 ( RPM )

#### SPIKE:

5 mL of centrifuged plasma with drug (max 5% organic load) Add 100 µL NH<sub>4</sub>OH

#### **CONDITION PLATE:**

500 µL methanol followed with 500 µL water

#### LOAD PLATE:

500 µL spiked rat plasma

#### WASH PLATE:

500 µL 2% HCl in water


#### **ELUTE PLATE:**

 $300~\mu L~5\%~NH_4OH~in~methanol$ 


#### **DILUTE:**

200 µL water

### Plasma spike 1.0 ng/mL, 70/30 ACN/ $H_2$ O 0.1 M $NH_4$ Formate




# Plasma spike 250 ng/mL, 70/30 ACN/ $H_2$ O 0.1 M $NH_4$ Formate



Compound name: Ranitidine

Coefficient of Determination: 0.999099

Calibration curve: 2.002205e-5\* x² + 0.0284745\* x + 0.00311700
Response type: Internal Std (Ref 1), Area\* (IS Conc./IS Area)
Curve type: 2nd Order, Origin: Exclude, Weighting: 1/x², Axis trans: None



RANITIDINE (MCX) (ng/mL)	Mean	Standard deviation	Coefficient of variation (%)	Recovery (%)
1	0.99 (5)	0.02	2	99
2.5	2.54	0.11	4.3	100
5	4.9	0.3	6.1	98
10	10.26	0.68	6.6	102
20	19.46	0.97	4.9	97
50	49.78	2.51	5	99
100	101.55	5.31	5.2	101
200	201.97	4.67	2.3	101
250	247.09	1.4	0.5	99

### **Featured Products**

© 2021 Waters Corporation. All Rights Reserved.