# Waters™

Note d'application

# Fungicides in Commercial Apple Cider

Waters Corporation



This is an Application Brief and does not contain a detailed Experimental section.

#### Abstract

This application brief demonstrates analysis of fungicides in commercial apple cider.

#### Introduction

The compounds analyzed in this study are - Carbendazim(70  $\mu$ g/L) and Thiabendazole(170  $\mu$ g/L).

# **CARBENDAZIM**

## **THIABENDAZOLE**

## Experimental

#### LC Conditions

Column: Xterra MS  $C_{18}$ , 2.1 x 100 mm, 5  $\mu m$ 

Part number: 186000450

Mobile phase: CH<sub>3</sub>CN/10 mM NH<sub>4</sub>HCO<sub>3</sub>, pH 8.3 (20/80)

Flow rate: 200 µL/min, split 1/1 through each detector

Instrument: Waters Alliance Separations Module with 996

PDA

#### **MS Conditions**

Mode:


Instrument: Waters ZQ

Source: Positive Electrospray (ESI<sup>+</sup>)

Multiple Selected-Ion Recording (SIR)

OASIS® MCX SPE METHOD


Conditions for Oasis® MCX Cartridges, 6 cc/150 mg Part Number 186000256




Results and Discussion

SIR group	Time (mins)	Compound	Mass	Cone voltage	Dwell time
1	0-6.5	Carbendazim	192.1	25 V	1.0 secs
2	6-15	Thiabendazole	202.0	35 V	1.0 secs

# LC-MS and LC/PDA Chromatograms of Fungicides in Apple Cider





## **Featured Products**

Alliance HPLC System <a href="https://www.waters.com/534293">https://www.waters.com/534293</a>

© 2021 Waters Corporation. All Rights Reserved.