Waters™

Applikationsbericht

Profens, Isocratic – 4.6 x 20 mm Intelligent Speed Separation Columns

Waters Corporation



This is an Application Brief and does not contain a detailed Experimental section.

Abstract

This application brief demonstrates analysis of Profens.

Introduction

The compounds analyzed in this study are:

- 1. Ketoprofen
- 2. Fenoprofen
- 3. Flurbiprofen
- 4. Ibuprofen

Ketoprofen

Fenoprofen


Flurbiprofen

lbuprofen

Conditions

Columns:	XTerra RP ₁₈ , 4.6 x 20 mm IS, 3.5 μm, (P/N:186001893)
	XTerra MS C_{18} , 4.6 x 20 mm IS, 3.5 μ m, (P/N:186001891)
	Atlantis dC ₁₈ , 4.6 x 20 mm IS 3 μm, (P/N:186002062)
	Symmetry Shield RP ₁₈ ,4.6 x 20 mm IS, 3.5 μ m, (P/N:186002092)
	Symmetry C ₁₈ , 4.6 x 20 mm IS, 3.5 μm, (P/N:186002090)
Mobile phase A:	0.1% HCOOH in Water
Mobile phase B:	0.1% HCOOH in Acetonitrile
Flow rate:	3.0 mL/min
Isocratic mobile phase conditions:	65% A, 35% B
Injection volume:	10 μL
Sample concentration:	20 μg/mL
Temperature:	30 °C
Detection:	UV @ 220 nm
Instrument:	Alliance 2695 with 996 PDA

Results and Discussion



Featured Products

Alliance HPLC System https://www.waters.com/534293

2998 Photodiode Array (PDA) Detector https://www.waters.com/1001362

WA31787.26, June 2003

© 2021 Waters Corporation. All Rights Reserved.