Waters™

응용 자료

Herbicides

Waters Corporation



This is an Application Brief and does not contain a detailed Experimental section.


Abstract

This application brief highlights the analysis of herbicides used in weed control.


Introduction

Compounds used in this study:


- 1. Atrazine-desethyl-desisopropyl
- 2. Picloram
- 3. Chlorsulfuron (unknown impurity)
- 4. Atrazine
- 5. 2,4-D



Atrazine-desethyl-desisopropyl



Chlorsulfuron



Picloram

(2,4-Dichlorophenoxy)acetic Acid

Atrazine

Experimental

Conditions

Column:

SunFire C_{18} 4.6 x 150 mm, 5 μ m (p/n: 186002559)

Mobile phase A: Water

Mobile phase B: Acetonitrile

Mobile phase C: $100 \text{ mM CH}_3\text{COO-NH}_4 + \text{pH } 4.5$

Flow rate: 1 mL/min

Injection volume: 10 μ L

Sample concentration: $4 \mu g/mL$ in water Chlorsulfuron $8 \mu g/mL$ (2,4-

Dichlorophenoxy)acetic Acid 40 µg/Ml

Temperature: 30 °C


Detection: UV @ 220 nm

Instrument: Alliance 2695 with 2996 PDA

Gradient

Time (min)	Profile		
	%A	%B	%C
0.0	85	5	10
15.0	20	70	10

Results and Discussion



Featured Products

Alliance HPLC https://www.waters.com/514248

WA41891, May 2005

© 2021 Waters Corporation. All Rights Reserved.