
# Waters™

#### アプリケーションノート

## Steroids in Formic Acid

**Waters Corporation** 



This is an Application Brief and does not contain a detailed Experimental section.

#### **Abstract**

This application brief demonstrates analysis of steroids in formic acid.

#### Introduction

The compounds used in this study are -

- 1. Prednisolone
- 2. Dexamethasome
- 3. Betamethasone 17-valerate
- 4. Progesterone

## Experimental

Column: SunFire  $C_{18}$  4.6 x 150 mm, 5  $\mu m$ 

Part number: 186002559

Mobile phase A: 0.1% HCOOH in Water

Mobile phase B: 0.1% HCOOH in ACN

Flow rate: 1.4 mL/min

Injection volume:  $10 \, \mu L$ 

Sample concentration: 50 mg/mL each, in DMSO

Temperature: Ambient


Detection: UV @ 254 nm

Instrument: AutoPurification System

#### Gradient

Time (min)	Profile	
	%A	%B
0.0	70	30
10.0	10	90

## Results and Discussion



\*:  $W_{1/2}$  value is calculated based on the half width of the 1st peak.

### **Featured Products**

AutoPurification System <a href="https://www.waters.com/10007147">https://www.waters.com/10007147</a>

WA41899, March 2005

© 2021 Waters Corporation. All Rights Reserved.