Waters™

Note d'application

Antidepressants in TFA

Waters Corporation



This is an Application Brief and does not contain a detailed Experimental section.

Abstract

This application brief demonstrates analysis of antidepressants in TFA.

Introduction

The compounds used in this study are -

- 1. Doxepin
- 2. Desipramine
- 3. Trimipramine



Experimental

SunFire Column mass loading comparison for basic compounds (tricyclic antidepressants) in TFA.

Comparison made with other leading HPLC column brands using 3,000 µg total load.

Conditions

Column:	SunFire C ₁₈ 4.6 x 150 mm, 5 µm

Part number: 186002559

Mobile phase A: 0.1% TFA in Water

Mobile phase B: 0.1% TFA in ACN

Flow rate: 1.4 mL/min

Injection volume: 10 μ L

Sample concentration: 100 mg/mL each, in DMSO

Temperature: Ambient


Detection: UV @ 254 nm

Instrument: AutoPurification System

Gradient

Time	Profile	
(min)	%A	%B
0.0	80	20
2.0	80	20
15.0	50	50

Results and Discussion



^{*:} Rs value is based on the separation of the 1st and 2nd peaks.

Featured Products

AutoPurification System https://www.waters.com/10007147

WA41905, May 2005

© 2021 Waters Corporation. All Rights Reserved.