# Waters™

Application Note

# Antidepressants in TFA

Waters Corporation



This is an Application Brief and does not contain a detailed Experimental section.

### Abstract

This application brief demonstrates analysis of antidepressants in TFA.

# Introduction

The compounds used in this study are -

- 1. Doxepin
- 2. Desipramine
- 3. Trimipramine



# Experimental

SunFire Column mass loading comparison for basic compounds (tricyclic antidepressants) in TFA.

Comparison made with other leading HPLC column brands using 3,000 µg total load.

#### Conditions

| Column: | SunFire C <sub>18</sub> 4.6 x 150 mm, 5 µm |
|---------|--|
|         |  |

Part number: 186002559

Mobile phase A: 0.1% TFA in Water

Mobile phase B: 0.1% TFA in ACN

Flow rate: 1.4 mL/min

Injection volume: 10  $\mu$ L

Sample concentration: 100 mg/mL each, in DMSO

Temperature: Ambient


Detection: UV @ 254 nm

Instrument: AutoPurification System

### Gradient

| Time  | Profile |    |
|-------|---------|----|
| (min) | %A      | %B |
| 0.0   | 80      | 20 |
| 2.0   | 80      | 20 |
| 15.0  | 50      | 50 |

Results and Discussion



<sup>\*:</sup> Rs value is based on the separation of the 1st and 2nd peaks.

# **Featured Products**

AutoPurification System <a href="https://www.waters.com/10007147">https://www.waters.com/10007147</a>

WA41905, May 2005

© 2021 Waters Corporation. All Rights Reserved.