# Waters™

Nota applicativa

# Tricyclic Antidepressants

Waters Corporation



This is an Application Brief and does not contain a detailed Experimental section.


### Abstract

This application brief demonstrates analysis of tricyclic antidepressants.

## Introduction

The compounds used in this study are -

Compounds	USP tailing
1. Desimpramine	1.20
2. Nortriptyline	1.18
3. Doxepin	1.17
4. Imipramine	1.17
5. Amitriptyline	1.14



#### Doxepin



## Experimental

#### Conditions

Flow rate:

Column: SunFire C<sub>18</sub> 4.6 x 150 mm, 5 µm

Part number: 186002559

Mobile phase A: Water

Mobile phase B: MeOH

Mobile phase C: 100 mM CH<sub>3</sub>COO<sup>-</sup>NH<sub>4</sub><sup>+</sup>, pH 6.0

1 mL/min

Isocratic mobile phase conditions: 18% A, 72% B, 10% C

Injection volume: 10  $\mu$ L

Sample concentration: 10  $\mu$ g/mL in water


Temperature: 30 °C

Detection: UV @ 254 nm

Instrument: Alliance 2695 with 2996 PDA

### Results and Discussion

Excellent peak shape on basic tricyclic antidepressants with SunFire  $C_{18}$  analytical Column.



#### **Featured Products**

Alliance HPLC System <a href="https://www.waters.com/534293">https://www.waters.com/534293</a>

WA41907, May 2005

© 2021 Waters Corporation. All Rights Reserved.