Waters[™]

アプリケーションノート

Analysis of Food Sugars/Saccharides in Honey Using ACQUITY UPLC BEH Amide Columns

日本ウォーターズ株式会社



This is an Application Brief and does not contain a detailed Experimental section.

Abstract


This application brief demonstrates analysis of food Sugars/Saccharides in honey.

Introduction

Compounds analysed in this application brief :

- 1. Fructose
- 2. Glucose
- 3. Sucrose
- 4. Maltose
- 5. Maltotriose
- 6. Maltotetraose
- 7. Maltopentaose

Structures



Experimental

Chromatographic Conditions

Column:	ACQUITY UPLC BEH Amide 2.1 x 50 mm, 1.7 μm
Part Number:	186004800
Mobile Phase A:	80/20 MeCN/H ₂ O with 0.2% triethylamine [TEA]
Mobile Phase B:	30/70 MeCN/H ₂ O with 0.2% triethylamine [TEA]
Flow Rate:	0.15 mL/min

Injection Volume:	0.7 μL (PLNO)
Sample Concentration:	Honey and corn syrup at 5-10 mg/mL each
Sample Diluent:	50/50 MeCN/H ₂ O
Column Temperature:	45 °C
Strong Needle Wash:	20/80 MeCN/H ₂ O (800 μ L)
Weak Needle Wash:	75/25 MeCN/H ₂ O (500 μ L)
Seal Wash:	50/50 MeCN/H ₂ O
Instrument:	Waters ACQUITY UPLC with ELSD
Gradient:	5 minute gradient, 80%-50% MeCN (w/0.2% TEA) with 10 minute re- equilibration


Time (min)	Profile
	A%
0.00	100.00
5.00	40.00
5.01	100.00
15.00	100.00

ELSD Conditions

Gain:	200
Pressure:	40 psi

40 °C
Cooling
10 pps
Normal

Results and Discussion



1. Fructose, 2. Glucose, 3. Sucrose, 4. Maltose, 5. Maltotriose, 6. Maltotetraose, 7. Maltopentaose

Featured Products

ACQUITY UPLC System < https://www.waters.com/514207>

2424 Evaporative Light Scattering (ELS) Detector https://www.waters.com/514428

WA60124, October 2009

©2019 Waters Corporation. All Rights Reserved.