# Waters<sup>™</sup>

Nota de aplicación

# Using Natural Products Application Solution with UNIFI for the Identification of Chemical Ingredients of Green Tea Extract

Lirui Qiao, Robert Lewis, Alex Hooper, James Morphet, Xiaojie Tan, Kate Yu

Waters Corporation



#### Abstract

This application note describes how to analyze and identify the chemical ingredients of green tea using the Natural Products Application Solution with UNIFI, which combines UltraPerformance LC (UPLC), orthogonal quadrupole time-of-flight mass spectrometry (QTof MS), and a Traditional Medicine Library.

#### **Benefits**

The integration of data acquisition and processing with the Traditional Medicine Library in this solution provides a simple, efficient process to effectively facilitate the identification of chemical ingredients from complex natural product samples. As a result, it greatly improves productivity and reduced the demands for operator's technical expertise level.

### Introduction

The practice of using natural products as Traditional Medicines for health benefits and for therapeutic effects is common in many countries worldwide. The efficacy of Traditional Medicines has been affirmed by thousands of years of history as well as by modern clinical practice. However, many challenges still remain for research and development in this area; for example, to reveal the material base and the mechanism of efficacy. The core of these challenges is to gain understanding on all of the chemical ingredients from a Traditional Medicines.

All research for natural products starts from ingredient analysis. However, classical methods used for ingredient analysis are complicated, time-consuming, and inefficient. To summarize, they typically follow one of these approaches:

1. Purchase of standards and comparing them with the components from samples. The cost of this approach is very high and not all compounds have relevant standards available.

2. Using various separation and preparation methods to purify the components. The problem of this approach is its blindness; it is also very time-consuming and prone to a lot of repeated work.

3. Searching for answers from literature. However, the data from previous literature could be dated, and may have been acquired by low-resolution instruments, which will lead to many false positives.

Regardless of the approach, an additional requirement is that the analyst must have a very strong technical background, both in terms of chemistry and natural product knowledge.

The inefficiency in the material base research has always been the bottleneck that limits the modernization of Traditional Medicines. In recent years, the rising popularity of liquid chromatography coupled with mass spectrometry (LC-MS) has helped to improve this situation; yet, no significant breakthrough has been made.

Currently, the mostly commonly used LC-MS solution still includes manually observing the chromatographic peaks one by one, searching possible structural information from various Internet libraries, and checking literature to match the identities of fragments and to rationalize fragmentation pathways for the purpose of determining the chemical structure of the target component. The limitations of such an approach are still the same: time-consuming, inefficient, and high expertise requirement for the operators.

In this application note, the new Waters Natural Products Application Solution with UNIFI is introduced using the analysis of the green tea extract as an example. This solution combines the ACQUITY UPLC I-Class System, the Xevo G2-S QTof MS, and a Traditional Medicine Library that is integrated within the UNIFI Scientific Information System. The application-based solution unites data acquisition and processing within a streamlined workflow that incorporates the Traditional Medicine Library to provide a simple and efficient process for the identification of the chemical ingredients from complex natural product samples. As a result, productivity can be greatly improved and the demand for operator expertise is significantly reduced. The workflow of the ingredient analysis using the Natural Product Application Solution with UNIFI is outlined in Figure 1.




Figure 1. The workflow of ingredient analysis using the Natural Product Application Solution with UNIFI.

Green tea is a natural product drink favored by many. Because it is not fermented, many ingredients found from fresh leaves still remain in their original forms; for example, polyphenols, catechins, pyrocatechins, caffeine, amino acids, vitamins, etc. This provides a good foundation for chemical ingredient analysis, hence it allows us to use green tea as an example to demonstrate use of the Natural Product Application Solution with UNIFI to verify the analytical results with the available standard substances. The entire analytical process, from sample injection to report generation, required merely two hours to complete.

### Experimental

#### Sample preparation

The powder (33 mg) of the green tea extract (Waters, No. 186006962) was dissolved in 2 mL MeOH/H<sub>2</sub>O 1/3

solution and then diluted 2X to 8.25 mg/mL final concentration for later use. The catechin standard mixture (Cerriliant No. G-016) was diluted 2X with methanol to 50  $\mu$ g/mL as final concentration. Injection volume was 1  $\mu$ L.

#### LC conditions

LC system:	ACQUITY UPLC I-Class with FTN Sample Manager
Column:	ACQUITY UPLC HSS T3 2.1 x 100 mm, 1.8 µm
Column temp.:	40 °C
Sample temp.:	15 °C
Mobile phase:	A: water (0.1% formic acid); B: acetonitrile

#### Gradient:

Time	Flow	Solvent	Solvent	Curves
	Rate(mL/mir	n) A(%)	B(%)	
0	0.6	99	1	Starting
0.5	0.6	99	1	6
16	0.6	65	35	6
10	0.0	05	55	0
18	0.6	0	100	1
20	0.6	99	1	1

#### MS conditions

MS system:	Xevo G2-S QTof MS
Acquisition range:	100-1500 Da
Scan time:	0.1 s
Acquisition mode:	ESI+, ESI-; resolution mode; MS <sup>E</sup>
Lock mass:	Leucine Enkephalin (LE) 1 ppm (scan for 0.3 s, interval:15 s)
Capillary voltage:	3 KV (ESI+)/2.5 KV (ESI-)
Cone voltage:	100 V
Collision energy:	low CE: 6 eV; high CE: 15-40 eV
Source temp.:	120 °C
Desolvation temp.:	500 °C
Cone gas flow:	30 L/h
Desolvation gas flow:	1000 L/h
Acquisition time:	20 min

# Results and Discussion

UPLC and QTof MS with MS<sup>E</sup> were used to analyze the chemical ingredients in green tea extract. The Natural Products Application Solution with UNIFI featuring the Traditional Medicine Library was used to process the data. 28 components were initially identified with 16 being confirmed upon verification by MassFragment. The complete analysis took two hours from sample injection to report generation. The Natural Product Application Solution with UNIFI includes the ACQUITY UPLC I-Class, Xevo G2-S QTof MS, and the UNIFI Scientific Information System containing the Traditional Medicine Library, along with a Waters Green Tea Extract and the Catechin Standard Mixture. This integrated solution also includes 14 preset component and binary analysis workflow templates, and three report templates, which result in a fully automated procedure from data acquisition and processing, to library search and structure verification, to report generation.

Figure 2 shows the UPLC-QTof MS base peak ion (BPI) chromatogram of the green tea extract. The advantages of using UPLC for the analysis of complex samples are fully demonstrated here. Not only is the run time shortened (effective separation time of 15 min), but also it enhanced the separation efficiency and peak capacity. In the meantime, MS information with accurate mass measurements was also provided by the QTof MS. Additionally, with the MS<sup>E</sup> data acquisition strategy, chemists can obtain the molecular weight information of the compounds (from low-collision-energy MS scan) and the respective fragmentation ion information (from high-collision-energy MS scan) from a single injection. All provides a solid foundation for in-depth ingredient analysis and structure identification in future steps.




Figure 2. The UPLC-QTof MS base peak ion (BPI) chromatogram of green tea extract.

Another critical matter that contributes to bottlenecks in natural products research is that, although there are a large number of libraries and databases available on the Internet, there is no commercially available library that has been systematically incorporated with instrumental analysis for the purpose of facilitating natural product ingredient analysis research. For the first time, the Waters Natural Product Application Solution with UNIFI has filled this gap. The new Traditional Medicine library follows the 2010 edition of Chinese Pharmacopoeia and lists all the herbs included in this pharmacopoeia. Figure 3 shows the basic infrastructure of this library and the information it contains. This includes compound name (both in Mandarin and English), chemical structure, molecular formula, average molecular mass and mono-isotopic molecular mass of each compound in accurate mass, as well as the plant origins. For each listed herb, the library provides its plant name (including Mandarin, Mandarin Pinyin Phonetic, and Latin) and the major compounds reported from literatures. In addition, the library also labels each listed compound according to chemical classes, which provides a foundation for fragment analysis.

	<ul> <li>Home Manage Library Ite</li> </ul>	tems	<ul> <li>Library Item Editor</li> </ul>						li 🖸 🖬 🕶 🕱
Resu	Its	41	Epigallocatechin-3-O-ga	allate [Waters Traditional Medicine Library]					🖏 Tools 💌
2	Search results (6405 items found)		Property	Value	*				
		22	Formula	C22H18O11				0	
34	Name * Decanoyl acetaldehyde		Hill formula	C22H18O11			6	- o	
05			Average molar mass	458.3717			° y ° y °	-	
	Isoscoparin		Monoisotopic mass	458.0849					
06	Ethyl gallate	3	Item tag	Flavan-3-ols , Ercha, CATECHU, 儿茶	=			~ .0	
07	Curcolone		and the second s	1S/C22H18O11/c23-10-5-12(24)			0	TI	
	Scoulerine		InChi	11-7-18(33-22(31)9-3-15(27)20(30)16 (28)4-9)21(32-17(11)6-10)8-1-13(25)19				0	
09	Kuwanon P			(29)14(26)2-8/h1-6.18.21.23-30H.7H2/	-			0	
10	Nobilin E			t18-,21-/m1/s1	1.02/4	C20000			
11	Epigallocatechin-3-O-gallate								
12	Ganoderic acid E			and the second se					
	Ganoderic acid E Carpesialactone	-	Select Item Tags	Region of South State No. 10.		rch results (6405 items found)			
13		-	Select Item Tags	e Medicines	1	Name 1 =	Library name	1 Formula	Monoisotopic mass
13	Carpesialactone	-	Select Item Tags	e Medicines	₩ 3591		Library name Waters Traditional Medicine Library	Formula C30H48O2	Monoisotopic mass 440.3654
13 14 15	Carpesialactone 4-O-Caffeoylquinic acid	-	Select Item Tags	e Medicines	3591 3592	Name 1 =			
13 14 15 16	Carpesialactone 4-O-Caffeoylquinic acid Cynanoside M		Select Item Tags	e Medicines	3591 3592 3593	Name 1 v epi-Kansenone	Waters Traditional Medicine Library	C30H48O2	440.3654
12 13 14 15 16 17 18	Carpesialactone 4-O-Caffeoylquinic acid Cynanoside M Oleanolic acid-28-O-β-D-glucopyran	-	Select Item Tags  Traditional Chines  Chinese Name  Classification  Mandarin Piny  Aidicha  Aidicha	e Medicines	3591 3592	Name 1 v epi-Kansenone Epigypsogenin	Waters Traditional Medicine Library Waters Traditional Medicine Library	C30H48O2 C30H46O4	440.3654 470.3396
13 14 15 16 17 18	Carpesialactone 4-O-Caffeoylquinic acid Cynanoside M Oleanolic acid-28-O-β-D-glucopyran Xanthiside		Select Item Tags  Traditional Chines  Chinese Name  Classification  Latin Name  Aidicha  Aidicha  Aidia  Aidia	e Medicines	3591 3592 3593	Name 1 7 epi-Kansenone Epigypsogenin Epigomisin O	Waters Traditional Medicine Library Waters Traditional Medicine Library Waters Traditional Medicine Library	C30H48O2 C30H46O4 C23H28O7	440.3654 470.3396 416.1835
13 14 15 16 17 18 19	Carpesialactone 4-O-Caffeoylquinic acid Cynanoside M Oleanolic acid-28-O-B-D-glucopyran Xanthiside Physalin F		Select Item Tags  Traditional Chines  Chinese Name  Classification  Latin Name  Classification  Addition  Addition  Adjuan  Aiye  Anye  Axiviang  Awei	e Medicines	3591 3592 3593 3594	Name 1.v epi-Kansenone Epigypsogenin Epigomain O Epigoitrin	Waters Traditional Medicine Library Waters Traditional Medicine Library Waters Traditional Medicine Library Waters Traditional Medicine Library	C30H48O2 C30H46O4 C23H28O7 C5H7NOS	440.3654 470.3396 416.1835 129.0248
13 14 15 16 17 18 19 20	Carpesialactone 4-O-Caffeoylquinic add Cynanoside M Oleanolic add-28-O-β-D-glucopyran Xanthiside Physalin F Eson IVf		Select Item Tags	e Medicines	3591 3592 3593 3594 3595	Name 1.** epi-Kansenone Epigypisogenin Epigomisin O Epigoltrin Epigaltocatechin-3-O-gallate	Waters Traditional Medicine Library Waters Traditional Medicine Library Waters Traditional Medicine Library Waters Traditional Medicine Library Waters Traditional Medicine Library	C30H48O2 C30H46O4 C23H28O7 C5H7NO5 C22H18O11	440.3654 470.3396 416.1835 129.0248 458.0849
13 14 15 16 17 18 19 20 21	Carpesialactone 4-O-Caffeoykquinic acid Cynanoside M Oleanolic acid-28-O-g-D-glucopyran Xanthiaide Physalin F Ecion IV Bauerenyl acetate		Select Item Tags	e Medicines in	3591 3592 3593 3594 3595 3596	Name tri epi-Kansenone Epigypsogenin Epigoninin O Epigolinin Epigallocatechin-3-O-gallate Epigallocatechin (4),8)-gallocatechin	Waters Traditional Medicine Library Waters Traditional Medicine Library Waters Traditional Medicine Library Waters Traditional Medicine Library Waters Traditional Medicine Library	C30H48O2 C30H46O4 C23H28O7 C5H7NOS C22H18O11 C30H26O13	440.3654 470.3396 416.1835 129.0248 458.0849 594.1373
13 14 15 16 17 18 19 20 21 22	Carpesialactone 4-O-Caffeoylogunic acid Cynanoside M Oleanoic acid-28-O-(β-O-glucopyran Xanthiside Physalin F Escin IVT Bauvernyl acetate Pseudolaric acid 8-O-β-O-glucopyrar		Select Item Tags	e Medicines in	<ul> <li>3591</li> <li>3592</li> <li>3593</li> <li>3594</li> <li>3595</li> <li>3596</li> <li>3597</li> </ul>	Name 1 ** epi-Kansenone Epigypsogenin Epigonisin O Epigolitoria Epigallocatechin/45,81-gallocatechin Epigallocatechin hexaactate	Waters Traditional Medicine Library Waters Traditional Medicine Library	C30H4802 C30H4604 C23H2807 C5H7NOS C22H18011 C30H26013 C27H26013	440.3654 470.3396 416.1385 119.0248 458.0849 594.1373 558.1373
13 14 15 16 17 18 19 20 21 22 23	Carpesislactone 4-O-Caffeoylquinic add Cynanoside M Oleanolic add-26-O-β-O-glucopyran Xanthiside Physalin F Eson IV Bauerenyl actor B Pheudolaric add B O-β-O-glucopyrar Turmeronol B		Select Item Tags	e Medicines in	3591 3592 3593 3594 3595 3596 3597 3598	Name i = epi-Kansenone Epigonosen Epigonosen Epigolostenkin-3-O-galate Epigaloscetekin(4),8)-galocatechin Epigaloscetekin Epigaloscetekin	Waters Traditional Medicine Library Waters Traditional Medicine Library	C30H4802 C30H4604 C23H2807 C5H7N05 C2H18011 C30H26013 C27H26013 C27H26013 C15H1407	440.3654 470.3396 416.1835 1250248 458.0849 554.1373 558.1373 306.0740
13 14 15 16	Carpesislactone 4-O-Caffeoylquinic add Cynanoide M Oleanoic add-26-O-p-O-glucopyran Xanthiade Physalin F Eson IVI Buerenyl aostate Preudolaric add B O-p-O-glucopyrar Tarmeronol B Mongholicoside II		Select Item Tags	e Medicines in	3591 3592 3593 3594 3595 3596 3597 3598 3599	Name t epi-Kansenone Epigoponin Epigonisin O Epigotini Epigatlocatechin-3-0-gallate Epigatlocatechin/Epigatlocatechin Epigatlocatechin Epigatlocatechin Epigatlocatechin Epigatlocatechin Epigatorethin Epigatorethi	Waters Traditional Medicine Library Waters Traditional Medicine Library	C30H4802 C30H4604 C23H2807 C5H7NO5 C2H18011 C30H26013 C27H26013 C15H1407 C15H2002	440.3654 470.3366 416.1835 1250.248 458.0849 594.1373 558.1373 356.0740 232.1463

Figure 3. The basic infrastructure of the Traditional Medicine Library.

The Natural Products Application Solution with UNIFI enables the automatic incorporation of the Traditional Medicine Library into the component and binary analysis workflows. Figure 4 shows an example of sample analysis by utilizing the UNIFI Component Analysis Workflow.

Figure 4A shows the complete list of these 14 preset analysis workflow templates. By clicking on any item in this list, the corresponding results are shown in windows (4B, 4C, and 4D) on the right side of the Figure 4. For example, if the "Component – Good Match" is clicked, the information of all identified components with response values greater than 2000 counts and exact mass error less than 5 mDa will be displayed.

Figure 4B shows the component table that lists all components that found a match from the Traditional

Medicine Library, and they fit the criteria described above. Each listed chemical component contains the following information: compound name, molecular formula, exact mass mono-isotopic molecular weight, response intensity, retention time, exact mass error in mDa, ionization mode, adduct ions and identification status. Figure 4C is the corresponding chromatogram for the component being clicked from the table, (caffeine, in this case). Figure 4D is the MS<sup>E</sup> spectra for the component shown in Figure 4C, including the low-energy full scan spectrum and the high-energy fragmentation spectrum.

orkflow 🔹 📲	090 Trave 1-0 2		Green Tea 2	~	[1]	👩 Caffein		- F			cess 👔 Edit 👻 🇱 Tools 👻		
	Tray: 1:A,2				[1]	. V carrent	•					Tilters	-
Workflow	Component Summar	y •								View: *Accurate Mass	Screening MSe 💌 👔 😢	# 🔞 🕼	
lummary	d Component name	Formula	· Observed RT ( 1+ m/	2	Response	Mass error (mDa)	Adducts	Identification status	Label	Isotope Match Mz RMS PPM	Identified High Energy Fragments		
Batch Overview	2 (-)- Gallocatechin	C15H14O7	3.08 3	07.0810	5351	-0.2	+H	Identified	confirmed	0.59		9	
	3 Theobromine	C7H8N4O2	3.21 1	81.0721	4202	0.1	+H	Identified		0.76		4	
	4 Epigallocatechin	C15H14O7	4.61	07.0812	27465	-0.1	+H	Identified	confirmed	0.63		7	
	5 d-Catechin	C15H14O6	4.90 2	91.0858	3809	-0.5	+H	Identified	confirmed	1.60	N.		
	6 Caffeine	C8H10N4O2	5.25 1	.95.0877	7606	0.0	+H	Identified	confirmed	0.34		4B	
Component - Low Abundance	7 Epicatechin	C15H14O6	6.20 2	91.0862	21986	-0.1	*H	Identified	confirmed	0.64		ŧυ	7
	8 (-)- Epigallocatechi.	C22H18O11	630 4	59.0918	63179	-0.4	+H. +K	Identified	confirmed	1.06			
	9 Kaempferol-3-O-r		1994/1995 - 44	95.1646	7520	-1.1		Identified	confirmed	1.95		4	
Component - Quantification	10 (-)- Gallocatechin			159.0914	2619	-0.8		Identified	confirmed	2.02		7	
Component - Confirmed Table	() Canocated mini	OLE: 120011		0910914	2015		0	100mmmed	Commence	101			-
Component - Confirmed Plot	Chromatograms				E] %	🗐 🐴 – 💠		Spectra 🔫			日日	- +	
	Item name: Green Tea 2						× ×		Tea 2x Cha	innel name: Low energy : Time	5.2452 +/- 0.0184 minutes : 3D mi	ass peak list 🤞	8
	Channel name: Caffeine		19.2 PPM) 195.0877 196.090 Caffeine	)3				Description:		10	5.08768	1	4.7
Binary - Common	1	E	5.24					4e5			1		
Binary - Reference Unique											196.09031		
Binary - Unknown Unique	室 20000-							lit.	138.06	5614	/ / /		
	sity [Count			200				1	120 14	40 160 180	200 220 240	260	T
	N I							Item name: Green	Tea 2x Char	nnel name: High energy : Time	5.2452 +/- 0.0184 minutes : 3	st 🖉	8 :
					<b>4</b> C			Description:		138.06618	101 00210	4N 1	.46
1					40			110.0	07134	138.00010	195.08749	+U +	140
4A	10000 -												
4A								5 10000 3		139.06852	196.09016 220.06008		
4A								l olí-		139.06852 40 160 180	200 220 240	269.065	00

Figure 4. The list of identified components from green tea after processing by UNIFI.

All ingredient analysis solutions offered before UNIFI Software required researchers to manually extract each individual chromatographic peak, check its corresponding mass spectrum, and deduce the possible molecular formula based on the exact mass. Afterwards, researchers need to search online libraries based on molecular formula, deduce fragmentation pathways based on the fragment ions, then finally determine the chemical structure of the target component. Now with the Natural Products Application Solution with UNIFI, after all relevant components are imported from the Traditional Medicine Library, data processing and library search are performed automatically as a single step. The identification result is presented directly (Figure 5), while the rationality of the structure is automatically verified based on fragment ions via MassFragment.




Figure 5. Summary Plot of the identified components of green tea extract after processing by UNIFI

As shown in Figure 4D, each fragment ion that corresponds to the compound precursor ion can be examined by simply clicking on the blue icon . Researchers only need to determine if the verified fragment structure is sensible. If yes, then it can be potentially concluded that the proposed compound structure is correct, and this component can be defined as confirmed. If a false positive is suspected, further identification and structural elucidation can be carried out by using the UNIFI Structural Elucidation Tool to search more online libraries and again utilizing MassFragment. By the same token, all unidentified components can be investigated in this manner. Final results of all confirmed components can be shown as a table by clicking the "Component – Confirmed Table" (Figure 4A), or as a plot by clicking "Component - Confirmed Plot" (Figure 5), or as a list that can be generated using a report template (Figure 6).

The Natural Products Application Solution with UNIFI contains three report templates. The report templates related to ingredient analysis are: NP Component Summary Template and NP Component Details Template. For example, a summary report of the status of the components identification can be easily obtained by importing the NP Component Summary Template (Figure 6). This report contains sample information, data acquisition and processing methods, as well as related data information.

. 4	ort .									
F and part	Home Signature	<ul> <li>♥, IN Layout •</li> <li>▲ Rotate •</li> <li>Layout Search</li> </ul>	Copy		Export	Manage Apply action method				
	THE SCIENCE OF WH							UNI	FI	
		De	tails for Cor	nfirmed (	Compon	ent				
	Confirmed Compo	ent list								
F man	. Component na	me	Formula	RT (min)	Response	m/z	Error (mDa)	Error (ppm)	Adducts	Label
	1 (-)- Gallocatech	in	C15H14O7	3.08	106809	305.0663	-0.3409	-1.12	-H	confirmed
Hard Hardware Hard Hard Hard Hard Hard Hard Hard Hard										
	2 Quinic acid		C7H12O6	3.79	1519	191.0556	-0.5484	-2.87	-H	confirmed
100		1	C7H12O6 C15H14O7	3.79 4.61	1519 473366		-0.5484 0.0383	-2.87		confirmed confirmed
	2 Quinic acid					305.0667			-H	
100-11111221	2 Quinic acid 3 Epigallocatechi		C15H14O7	4.61 4.90	473366	305.0667 289.0712	0.0383	0.13	-н -н	confirmed
1800	2 Quinic acid 3 Epigallocatechi 4 d-Catechin		C15H14O7 C15H14O6	4.61 4.90	473366 58818	305.0667 289.0712 913.1468	0.0383 -0.5457	0.13 -1.89	-H -H -H	confirmed confirmed
	2 Quinic acid 3 Epigallocatech 4 d-Catechin 5 Theasinensin A 6 Epicatechin		C15H14O7 C15H14O6 C44H34O22	4.61 4.90 5.51 6.19	473366 58818 3409	305.0667 289.0712 913.1468 289.0719	0.0383 -0.5457 -0.1397	0.13 -1.89 -0.15	부 부 부 부	confirmed confirmed confirmed
200-01101111	2 Quinic acid 3 Epigallocatech 4 d-Catechin 5 Theasinensin A 6 Epicatechin 7 (-)- Epigallocat	chin 3-gallate	C15H14O7 C15H14O6 C44H34O22 C15H14O6	4.61 4.90 5.51 6.19 6.30	473366 58818 3409 319621	305.0667 289.0712 913.1468 289.0719 457.0776	0.0383 -0.5457 -0.1397 0.1405 -0.0811	0.13 -1.89 -0.15 0.49 -0.18	부 부 부 부 부 부 부	confirmed confirmed confirmed confirmed
200-01101111	2 Quinic acid 3 Epigallocatech 4 d-Catechin 5 Theasinensin A 6 Epicatechin 7 (-)- Epigallocat 8 Kaempferol-3-1	chin 3-gallate >-rutinoside	C15H1407 C15H1406 C44H34022 C15H1406 C22H18011 C27H30015	4.61 4.90 5.51 6.19 6.30 6.71	473366 58818 3409 319621 460806	305.0667 289.0712 913.1468 289.0719 457.0776 593.1507	0.0383 -0.5457 -0.1397 0.1405	0.13 -1.89 -0.15 0.49 -0.18 -0.88	<b>7</b> <b>7</b> <b>7</b> <b>7</b> <b>7</b> <b>7</b> <b>7</b> <b>7</b>	confirmed confirmed confirmed confirmed confirmed
200-01101111	2 Quinic acid 3 Epigallocatech 4 d-Catechin 5 Thesisienesin A 6 Epicatechin 7 (-): Epigallocat 8 Kaempferol-3- 9 (-): Gallocatech	chin 3-gallate )-rutinoside in 3-gallate	C15H14O7 C15H14O6 C44H34O22 C15H14O6 C22H18O11	4.61 4.90 5.51 6.19 6.30 6.71 6.84	473366 58818 3409 319621 460806 27768	305.0667 289.0712 913.1468 289.0719 457.0776 593.1507 457.0772	0.0383 -0.5457 -0.1397 0.1405 -0.0811 -0.5222	0.13 -1.89 -0.15 0.49 -0.18	* * * * * *	confirmed confirmed confirmed confirmed confirmed confirmed
	2 Quinic acid 3 Epigaliocatech 4 d-catechin 5 Theasinensin 6 Epicatechin 7 (-)- Epigalloat 8 Kaempferol 3- 9 (-)- Gallocated 10 Kaempferol 3-	chin 3-gallate >rutinoside in 3-gallate >rutinoside	C15H1407 C15H1406 C44H34022 C15H1406 C22H18011 C27H30015 C22H18011 C27H30015	4.61 4.90 5.51 6.19 6.30 6.71 6.84 8.12	473366 58818 3409 319621 460806 27768 35831 37727	305.0667 289.0712 913.1468 289.0719 457.0776 593.1507 457.0772 593.1509	0.0383 -0.5457 -0.1397 0.1405 -0.0811 -0.5222 -0.4687 -0.2805	0.13 -1.89 -0.15 0.49 -0.18 -0.88 -1.03 -0.47	* * * * * * *	confirmed confirmed confirmed confirmed confirmed confirmed confirmed
200-01101111	2 Quinic acid 3 Epigallocatech 4 d-Catechin 5 Theasinensin A 6 Epicatechin 7 (-): Epigallocat 8 Kaempfreol-3- 9 (-)- Gallocated 10 Kaempfreol-3- 11 Epicatechin 3-4	chin 3-gallate ŀrutinoside in 3-gallate -Gallate	C15H1407 C15H1406 C44H34022 C15H1406 C22H18011 C27H30015 C22H18011 C27H30015 C22H18010	4.61 4.90 5.51 6.19 6.30 6.71 6.84 8.12 8.19	473366 58818 3409 319621 460806 27768 35831 37727 309377	305.0667 289.0712 913.1468 289.0719 457.0776 593.1507 457.0772 593.1509 441.0823	0.0383 -0.5457 -0.1397 0.1405 -0.0811 -0.5222 -0.4687 -0.2805 -0.2400	0.13 -1.89 -0.15 0.49 -0.18 -0.88 -1.03 -0.47 -1.00	* * * * * * * *	confirmed confirmed confirmed confirmed confirmed confirmed confirmed
	2 Quinic acid 3 Epigallocatech 4 d-Catechin 5 Thesainensin A 6 Epicatechin 7 (-) Epigallocate 8 Kaempferol-3- 9 (-)- Gallocated 10 Kaempferol-3- 11 Epicatechin-3- 12 Querectin-3-0	chin 3-gallate Frutinoside in 3-gallate Frutinoside - Gallate rutinoside	C15H1407 C15H1406 C44H34022 C15H1406 C22H18011 C27H30015 C22H18011 C27H30015 C22H18010 C27H30016	4.61 4.90 5.51 6.19 6.30 6.71 6.84 8.12 8.19 8.25	473366 58818 3409 319621 460806 27768 35831 37727 309377 51558	<ul> <li>305.0667</li> <li>289.0712</li> <li>913.1468</li> <li>289.0719</li> <li>457.0776</li> <li>593.1507</li> <li>457.0772</li> <li>593.1509</li> <li>441.0823</li> <li>609.1457</li> </ul>	0.0383 -0.5457 -0.1397 0.1405 -0.0811 -0.5222 -0.4687 -0.2805	0.13 -1.89 -0.15 0.49 -0.18 -0.88 -1.03 -0.47	* * * * * * * * *	confirmed confirmed confirmed confirmed confirmed confirmed confirmed confirmed
	2 Quinic acid 3 Epigaliocatech 4 G-catechin 5 Thessinensin A 6 Epicatechin 7 (-) Epigaliocat 8 Kaempferol-3- 9 (-) Gallocatech 10 Kaempferol-3- 11 Epicatechin-3- 12 Quercetin-3-0 13 Sophoratioxid	chin 3-gallate -rutinoside no 3-gallate -rutinoside -Gallate rutinoside	C15H1407 C15H1406 C44H34022 C15H1406 C22H18011 C27H30015 C22H18010 C27H30015 C22H18010 C27H30016	4,61 4,90 5,51 6,19 6,30 6,71 6,84 8,12 8,19 8,25 8,36	473366 58818 3409 319621 460806 27768 35831 37727 309377 51558 16802	<ul> <li>305.0667</li> <li>289.0712</li> <li>913.1468</li> <li>289.0719</li> <li>457.0776</li> <li>593.1507</li> <li>457.0772</li> <li>593.1509</li> <li>441.0823</li> <li>609.1457</li> <li>577.1550</li> </ul>	0.0383 -0.5457 -0.1397 0.1405 -0.0811 -0.5222 -0.4687 -0.2805 -0.2400 -0.4433	0.13 -1.89 -0.15 0.49 -0.18 -0.88 -1.03 -0.47 -1.00 -0.73	* * * * * * * * * *	confirmed confirmed confirmed confirmed confirmed confirmed confirmed confirmed
	2 Quinic acid 3 Epigaliocatech 4 d-Catechin 5 Theasinensin A 6 Epicatechin 7 (-)- Epigaliocat 8 Kaempferol-3- 9 (-)- Gallocated 10 Kaempferol-3- 11 Epicatechin-3- 12 Quercetin-3-O 13 Sophorabiosid 14 Quercetin-3-O	chin 3-gallate -rutinoside no 3-gallate -rutinoside -Gallate rutinoside	C15H1407 C15H1406 C44H34022 C15H1406 C22H18011 C27H30015 C22H18011 C27H30015 C22H18010 C27H30016 C27H30014	4,61 4,90 5,51 6,19 6,30 6,71 6,84 8,12 8,19 8,25 8,36 8,42	473366 58818 3409 319621 460806 27768 35831 37727 309377 51558	305.0667 289.0712 913.1468 289.0719 457.0776 593.1507 457.0772 593.1509 441.0823 609.1457 577.1550 609.1453	0.0383 -0.5457 -0.1397 0.1405 -0.0811 -0.5222 -0.4687 -0.2805 -0.2400	0.13 -1.89 -0.15 0.49 -0.18 -0.88 -1.03 -0.47 -1.00	* * * * * * * * * * * *	confirmed confirmed confirmed confirmed confirmed confirmed confirmed confirmed

Figure 6. Summary report for the status of component identification, which is easily obtained by importing the NP Component Summary Template.

# Conclusion

Green tea ingredient analysis has been used as an example to introduce the Natural Products Application Solution with UNIFI. UPLC overcomes the shortcomings of traditional HPLC separations, such as long separation time, limited resolution, and low peak capacity. QTof MS provides molecular weight and fragmentation information in exact mass, and sufficient dynamic range, laying a solid foundation for natural product component identification and quantification.

The Natural Products Application Solution with UNIFI is accompanied by the Traditional Medicine Library, with the ability to automatically identify component structures. It is a new solution for ingredient analysis of complex natural product samples. The UNIFI informatics platform enables this entire process to be completed all at once, from injecting sample to processing data to printing report. The entire green tea ingredient analysis was completed in only two hours. This solution also contains preset workflow templates and various report templates, provide further time saving for method re-editing.

In effect, we provide a simple and efficient process for the identification of chemical ingredients in complex natural product samples. Productivity is greatly improved and demands for an operator's technical expertise is greatly reduced, so that these analyses can be performed much more routinely, and experienced operators can now apply their knowledge to more advanced laboratory challenges. As a result, this provides a breakthrough for alleviating the bottleneck of natural product research.

# Featured Products

ACQUITY UPLC I-Class PLUS System <https://www.waters.com/134613317> Natural Products Application Solution with UNIFI <https://www.waters.com/134777097> UNIFI Scientific Information System <https://www.waters.com/134801359>

720004837, November 2013

©2019 Waters Corporation. All Rights Reserved.