Waters™

응용 자료

Fast and Simple Bioanalytical Plasma Sample Extraction Using Oasis HLB SPE for High Analyte Recovery

Kim Van Tran, Mary Trudeau

Waters Corporation

본 응용 개요서는 구체적인 실험 내용을 포함하지 않습니다.

본 응용 개요서는 구체적인 실험 내용을 포함하지 않습니다.


Abstract

This application note describes the fast and simple bioanalytical plasma sample extraction using Oasis HLB solid phase extraction, requiring no protocol method development, for high extraction recovery of several small molecule pharmaceuticals.

Experimental

SAMPLE PREPARATION AND EXTRACTION

Oasis HLB SPE Protocol (96-well Plate, 10 mg Sorbent per Well, p/n 186000128)



<u>Load:</u> 1000 µL pre-treated sample

> Wash: 500 μL Water

<u>Elute:</u> 2 × 125 μL Methanol



Sample Preparation & Extraction.

LC-MS Analysis

| UPLC | I-Class, FTN with Column Manager (CMA) |
|-------------------|--|
| MPA | 0.1% FA in water |
| MPB | 0.1% FA in ACN |
| Column/sorbents | HSS PFP 1.8 μm, 2.1 mm x 50 mm p/n 186005965 |
| Col. temp. | 35 °C |
| Sample temp. | 10 °C |
| Inj. vol. | 5 μL |
| WNW | 90:10 Water:ACN |
| SNW | 25:25:25:25 Water:MeOH:ACN:IPA |
| MS | Xevo® TQ-Smicro |
| Capillary (kV) | 3.0 |
| Cone voltage | 30 V |
| Desolvation temp. | 500 °C |
| Desolvation flow | 1100 L/Hr |
| Cone gas flow | 150 L/Hr |

UPLC Gradient Table

| Time (min) | Flow (mL/min) | % MPA | % MPB |
|---------------|------------------|-------|-------|
| 0.0 | 0.5 | 100.0 | 0.0 |
| 5.0 | 0.5 | 5.0 | 95.0 |
| 6.0 | 0.5 | 5.0 | 95.0 |
| 6.1 | 0.5 | 100.0 | 0.0 |
| 7.0 | 0.5 | 100.0 | 0.0 |

Results and Discussion

High Analyte Recovery from Plasma using Oasis HLB SPE




Figure 1. Demonstration of Oasis HLB SPE Performance requiring no protocol optimization, with >78% recovery and matrix effects <20% from plasma.

Ordering Information

| Description | P/N |
|--|-----------|
| Oasis HLB 96-well Plate, 10 mg Sorbent per Well, 30 µm | 186000128 |
| 96-well Sample Collection Plate, 2 mL square well | 186002482 |
| Polypropylene Cap Mat Square Well for 96 well | 186002484 |
| ACQUITY UPLC HSS PFP Column, 100 Å, 1.8 μm, 2.1 mm × 50 mm | 186005965 |

Featured Products

ACQUITY UPLC I-Class PLUS System https://www.waters.com/134613317

Xevo TQ-XS Triple Quadrupole Mass Spectrometry https://www.waters.com/134889751

MassLynx MS Software https://www.waters.com/513662

MassLynx Quantitation Applications https://www.waters.com/513791

720008168, December 2023



© 2024 Waters Corporation. All Rights Reserved.

이용 약관 개인정보 처리방침 상표 채용정보 쿠키 쿠키 기본 설정