# Waters<sup>™</sup>

Nota de aplicación

# EPA Method 8310.0 Determination of Polycyclic Aromatic Hydrocarbons in Ground Water and Wastes

Waters Corporation



This is an Application Brief and does not contain a detailed Experimental section.

### Abstract

This application brief demonstrates the determination of Polycyclic aromatic hydrocarbons in ground water and wastes.

## Introduction

Polycyclic aromatic hydrocarbons (PAHs) are one of the most widespread organic pollutants. PAHs are made up of fused aromatic rings and are formed during the combustion of carbon-based fuels (wood, coal, diesel), as well as being present in crude oil. The United States Environmental Protection Agency (US EPA) has classified seven PAH compounds as being potentially carcinogenic including benz[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, benzo[k]fluoranthene, chrysene, dibenz[a,h]anthracene, and indeno[1,2,3-cd]pyrene.

## Experimental

#### **HPLC Conditions**

Instrument:	Waters Alliance HPLC System with PDA and	
	Fluorescence Detectors	
Eluent:	Water/Acetonitrile	
Column:	Waters PAH 4.6 x 250 mm @ 30 °C	
Injection:	20 µL of Supelco standard EPA 610 (#48743)	
	diluted 1:50 in 40:60 water/acetonitrile	
Flow rate:	1.2 mL/min	

Detection: UV @ 254 nm and fluorescence using timed programmed wavelengths
Data: Waters Empower Software

#### Sample Preparation

MeCl<sub>2</sub> extraction.

### **Eluent Preparation**

Filter and degas through a 0.45  $\mu\text{m}$  filter.

A: Water

#### B: Acetonitrile

Time	Flow	%A	%В	Curve
Initial	1.2	40	60	-
12.0	1.2	0	100	9
23.0	1.2	40	60	11


Eluent gradient.

	Analyte	UV max (nm)	EX (nm)	EM (nm)	Detection Limit (ppb) <sup>1</sup>
1	Naphthalene	220	277	330	0.14
2	Acenaphthylene	229	NA	NA	NA
3	Acenaphthene	227	270	323	0.01
4	Fluorene	261	265	310	0.03
5	Phenanthrene	251	252	365	0.02
6	Anthracene	252	250	402	0.01
7	Fluoranthene	236	284	467	0.02
8	Pyrene	240	332	378	0.01
9	Benzo(a)anthracene	287	284	390	0.01
10	Chrysene	267	270	367	0.04
11	Benzo(b)fluoranthene	256	298	436	0.09
12	Benzo(k)fluoranthene	307	303	432	0.01
13	Benzo(a )pyrene²	296	280	410	0.03
14	Dibenzo(a,h)anthracene	297	294	398	0.01
15	Benzo(g,h,I)perylene	299	290	420	0.03
16	Indeno(1,2,3-cd )pyrene	250	305	480	0.49


<sup>1</sup> Fluorescence mode used for detection limit determination, no pre concentration. Seven replicates per 40 CFR pt. 136 App. B.

<sup>2</sup> Regulated compound; action level 0.17 ppb.

PAH target analytes.



Standard chromatogram, UV @ 254 nm, 1–20 ppm PAH analytes.



Standard chromatogram, fluorescence/programmed wavelengths, 1-20 ppm PAH analytes.

Related Documents	Literature Code
The Determination of Biodegradation Products of PAH Using LC/MS/MS	WA20747
Waters PAH Columns Improve Analysis of PAH Compounds	720000382EN

# Featured Products

Alliance HPLC System <https://www.waters.com/534293>

Empower Chromatography Data System <a href="https://www.waters.com/10190669">https://www.waters.com/10190669</a>>

720002736, August 2008

© 2021 Waters Corporation. All Rights Reserved.